

Medicare Rebate Changes for Bone Mineral Densitometry (BMD)

Bone Mineral Densitometry (BMD) testing for diagnosis and monitoring of osteoporosis.

Item 12306	Item 12312	Item 12315	ltem 12321	Item 12320	Item 12322	Non Rebated
+ 1 or more fractures occurring after minimal trauma	+ Prolonged glucocoticoid therapy	+ Primary hyperparathyroidism	 BMD measurement 12 months following significant change in 	 Patients 70 years and older with no or mild osteopenia (down to T score of -1.5) 	 Patients 70 years and older with moderate to marked osteopenia (T score of -1.5 to -2.5) 	 Patient is asymptomatic Patient is <70 years and does not fit into any other group
 Monitoring of low BMD, proven by bone densitometry at least 12 months prior 	+ Conditions associated with excess glucocoticoid secretion	+ Chronic liver disease	therapy for established low BMD			
		id + Proven malabsorptive disorders	 Confirmation of presumptive diagnosis or 	f		
		+ Rheumatoid arthritis	low BMD following one			
	+ Male hypogonadism	+ Conditions associated	or more fractures after			
	+ Female hypogonadism	with Thyroxine excess	minimal trauma			
	lasting more than 6					
	months before age 45					
One scan every 2 years	One scan every 12 month	s One scan every 2 years	One scan every 12 months	One scan every 5 years	One scan every 2 years	No restrictions

